BBA

Biomembranes

Vol. 1069, 1991

Cumulative Contents

Regular Papers

A comment on the preparation of liposomes from and on the $\beta \leftrightarrow \alpha$ acyl chain melting behaviour of rough mutant lipopolysaccharide
K. Brandenburg and U. Seydel (F.R.G.) 1

Surface changes induced by osmotic stress and its influence on the glycerol permeability in lipid bilayers
A.C. Biondi, M.R. Féliz and E.A. Disalvo (Argentina) 5

Transport of peptides in renal brush border membrane vesicles. Suitability of ^{125}I-labelled tyrosyl peptides as substrates
C. Tiruppathi, V. Ganapathy and F.H. Leibach (U.S.A.) 14

Galactolipid multibilayers modified with xanthophylls: orientational and diffractometric studies
W.I. Gruszecki and J. Sielewiesiuk (Poland) 21

Asymmetric distribution of phosphoinositides and phosphatidic acid in the human erythrocyte membrane
P. Gascard, D. Tran, M. Sauvage, J.-C. Sulpice, K. Fukami, T. Takenawa, M. Claret and F. Giraud (France, Japan) 27

Alterations in membrane dynamics elicited by amphiphilic compounds are augmented in plasmenylcholine bilayers
X. Han and R.W. Gross (U.S.A.) 37

Induction of cationic amino acid transport activity in mouse peritoneal macrophages by lipopolysaccharide
H. Sato, T. Ishii, Y. Sugita and S. Bannai (Japan) 46

Partitioning behaviour of 1-hexanol into lipid membranes as studied by deuterium NMR spectroscopy
D.M. Fraser, L.C.M. Van Gorkom and A. Watts (U.K.) 53

Isolation and characterization of canalicular and basolateral plasma membrane fractions from human liver
H. Wolters, M. Spiering, A. Gerding, M.J.H. Slooff, F. Kuipers, M.J. Hardonk and R.J. Vonk (The Netherlands) 61

Inhibition of sodium-phosphate cotransport in renal brush-border membranes with the stilbenedisulfonate, H_2-DIDS
A.M. Azzarolo, G. Ritchie and G. Quamme (Canada) 70

A combined study of aggregation, membrane affinity and pore activity of natural and modified melittin
S. Stankowski, M. Pawlak, E. Kaisheva, C.H. Robert and G. Schwarz (Switzerland) 77

Voltage dependent membrane conductances in cultured renal distal cells
M. Granitzer, W. Nagel and J. Crabbé (Belgium, F.R.G.) 87

The calmodulin-binding domain as an endogenous inhibitor of the *p*-nitrophenylphosphatase activity of the Ca^{2+} pump from human red cells
A.J. Caride, J.T. Penniston and J.P.F.C. Rossi (Argentina, U.S.A.) 94

Structural requirements of lysophospholipid-regulated mitochondrial Ca^{2+} transport
I. Rustenbeck, H. Eibl and S. Lenzen (F.R.G.) 99

Characterization of the unidirectional transport of carnitine catalyzed by the reconstituted carnitine carrier from rat liver mitochondria
C. Indiveri, A. Tonazzi and F. Palmieri (Italy) 110

Reports

Light microscopic localization of silver-enhanced liposome-entrapped colloidal gold in mouse tissues
S.K. Huang, K. Hong, K.-D. Lee, D. Papahadjopoulos and D.S. Friend (U.S.A.) 117

Nucleoside uptake by red blood cells from a primitive vertebrate, the pacific hagfish (*Eptatretus stouti*), is mediated by a nitrobenzylthioinosine-insensitive transport system
D.A. Fincham, M.W. Wolowyk and J.D. Young (Canada, U.K.) 123

continued

Rapid Report

A second messenger role for monoacylglycerols is suggested by their activating effects on the sodium pump
A. Askari, Z. Xie, Y. Wang, S. Periyasamy and W.-H. Huang (U.S.A.) 127

Regular Papers

Two-dimensional diffusion of F_1F_0-ATP synthase and ADP/ATP translocator. Testing a hypothesis for ATP synthesis in the mitochondrial inner membrane
S.S. Gupte, B. Chazotte, M.A. Leesnitzer and C.R. Hackenbrock (U.S.A.) 131

Isolation of a phosphatidylserine transfer protein from yeast cytosol
G. Lafer, G. Szolderits, F. Paltauf and G. Daum (Austria) 139

Inositol 1,4,5-trisphosphate directly opens diphtheria toxin channels
B.L. Kagan (U.S.A.) 145

Erythrocyte membrane fluidity in malignant hyperthermia
P. Cooper and J.B. Meddings (Canada) 151

Synthesis of acylated gramicidins and the influence of acylation on the interfacial properties and conformational behavior of gramicidin A
T.C.B. Vogt, J.A. Killian, R.A. Demel and B. De Kruijff (The Netherlands) 157

Effect of BHT 920 on calcium-activated K^+ channels in renal epitheloid MDCK cells
H. Weiss, F. Friedrich, M. Paulmichl, E. Wöll and F. Lang (Austria) 165

Investigation of monovalent cation influxes of diamide-treated human erythrocytes in solutions of different ionic strength
I. Ihrig, E. Hessel, G. Seidler, A. Erdmann and I. Bernhardt (Germany) 171

The plasmalemma redox system of a fresh-water alga and membrane electrical parameters
R. Metlička, L. Nešpůrková, J. Pilař, O. Ryba and R. Rybová (Czechoslovakia) 175

Effect of amphotericin B and Cl^- removal on basolateral membrane K^+ conductance in frog corneal epithelium
G. Carrasquer, X. Wu, W.S. Rehm, M. Schwartz and M.A. Dinno (U.S.A.) 181

Effects of hyperosmotic medium on hepatocyte volume, transmembrane potential and intracellular K^+ activity
K. Wang and R. Wondergem (U.S.A.) 187

Permeation of Pb^{2+} through calcium channels: fura-2 measurements of voltage- and dihydropyridine-sensitive Pb^{2+} entry in isolated bovine chromaffin cells
J.L. Tomsig and J.B. Suszkiw (U.S.A.) 197

Hypotonic shock activated Cl^- and K^+ pathways in human fibroblasts
T. Mastrocola, A. Flamigni and M. Rugolo (Italia) 201

Ca^{2+} release from caged-Ca^{2+} alters the FTIR spectrum of sarcoplasmic reticulum
R. Buchet, I. Jona and A. Martonosi (U.S.A.) 209

Synthetic inositol 1,3,4,5-tetrakisphosphate analogs and their effect on the binding to microsomal fraction of rat cerebellum
Y. Kimura, T. Kanematsu, Y. Watanabe, S. Ozaki, T. Koga and M. Hirata (Japan) 218

Inhibition of glucose transport in human erythrocytes by ubiquinone Q_0
A.G. Lowe, A.J. Critchley and A. Brass (U.K.) 223

Electrostatic interaction of poly(L-lysine) with dipalmitoylphosphatidic acid studied by X-ray diffraction
H. Takahashi, S. Matuoka, S. Kato, K. Ohki and I. Hatta (Japan) 229

Lipid-dependent membrane enzymes. Kinetic modelling of the activation of protein kinase C by phosphatidylserine
H. Sandermann, Jr. and T.M. Duncan (Germany, U.S.A.) 235

Solubilization and partial purification of the thiazide diuretic receptor from rabbit renal cortex
D.H. Ellison, J. Morrisey and G.V. Desir (U.S.A.) 241

Improved stability of rabbit and rat intestinal brush border membrane vesicles using phospholipase inhibitors
D.D. Maenz, C. Chenu, F. Bellemare and A. Berteloot (Canada) 250

Na^+,K^+-ATPase inhibition by an endogenous peptide, SPAI-1, isolated from porcine duodenum
N. Ishizuka, Y. Fukushima, O. Urayama and T. Akera (Japan) 259

A K^+-selective channel in the colonic carcinoma cell line: CaCo-2 is activated with membrane stretch
C.E. Bear (Canada) 267

Ricin B-chain promotes the internalisation of liposomal contents into rat hepatoma cells
M.H. Friede and C. Von Holt (South Africa) 273

Effects of choline on Na^+- and K^+-interactions with the Na^+/K^+-ATPase
J.D. Robinson and P.R. Pratap (U.S.A.) 281

The reaction sequence of the Na^+/K^+-ATPase: rapid kinetic measurements distinguish between alternative schemes
P.R. Pratap, J.D. Robinson and M.I. Steinberg (U.S.A.) 288

Author Index 301